

Zhang et al

S/N: 09/681,483

In the Claims

What is claimed is:

1. (Currently Amended) A method to access one or more inactive options resident on a device remotely located from a centralized facility comprising the steps of:

accessing a graphical user interface (GUI) electronically linked to a centralized facility and configured to facilitate selection from a number of option identifying parameters;

selecting at least one of the number of option identifying parameters for identification of one or more inactive options resident on the device; ~~[[and]]~~

transmitting an electronic request for activation of the selected one or more inactive options to the centralized facility, wherein the electronic request is transmitted via a public communication interface; and

authorizing transmission and installation of a software key in response to the electronic request, wherein the transmission of the software key is via a private communication interface such that the private communication interface electronically connects the centralized facility to the device.

2. (Currently Amended) The method of claim 1 ~~further comprising the step of authorizing transmission and installation of a software key in response to the electronic request, wherein the software key is configured to activate the one or more inactive options and is transmitted to and installed on the device.~~

3. (Original) The method of claim 1 further including the steps of inputting a system ID, a host ID, a client ID, and a password to gain access to the selection step.

4. (Original) The method of claim 1 further comprising the step of formulating the electronic request by:

inputting a user ID;

inputting a system ID;

selecting a modality;

selecting a software package; and

selecting a usage period.

Zhang et al

S/N: 09/681,483

5. (Original) The method of claim 1 further comprising the step of requesting use of the one or more inactive options for one of a trial period, a pay-per-use period, a limited access period, and an indefinite period.

6. (Original) The method of claim 1 further comprising generating a software key if the centralized facility grants access to the inactive option, wherein the software key is unique for each electronic request.

7. (Canceled).

8. (Currently Amended) The method of claim [[1]] 2 wherein the software key is an alphanumeric code.

9. (Currently Amended) An access granting system comprising:
a computerized network;
a device having at least one non-enabled software application resident in memory thereon;
a plurality of computers connected to the computerized network, wherein at least one of the plurality of computers displays selection data to a user in a form of a graphical user interface (GUI);
a remote centralized facility electronically connected to the device and having a database, wherein the remote centralized facility includes a computer programmed to:
receive a user ID input;
receive a host ID input, wherein the host ID corresponds to a physical location of the device;
identify a user selection of the at least one non-enabled software application;
receive a request from an authorized user requesting enablement of the identified user selection;
generate a software enabler designed to permit access to the selected non-enabled software application in accordance with the received request; and
transmit the software enabler from the centralized facility to the device.

Zhang et al

S/N: 09/681,483

10. (Currently Amended) The system of claim 9 wherein the computer of the centralized facility is further programmed to:

~~receive a host ID input;~~

receive a system ID input;

identify a modality selection; and

decide whether to generate and transmit the software enabler based on the host ID input, the system ID input, and the modality selection.

11. (Original) The system of claim 9 wherein the computer of the centralized facility is further programmed to compare the request comprising a system ID, a host ID, a user ID, a selected non-enabled software application; and an identified modality to user and device data stored in the database, and generate the software enabler, wherein the software enabler is specific to the request and non-reusable.

12. (Original) The system of claim 10 wherein the computer of the centralized facility is further programmed to determine if the user is authorized to operate the selected non-enabled software application.

13. (Original) The system of claim 9 wherein the device is a medical component including one of a cardiology device, a computed radiology device, a computed tomography device, a magnetic resonance imaging device, an x-ray device, an ultrasound device, a picture archiving and communication device, a nuclear medicine device, and a positron emission tomography device.

14. (Canceled).

15. (Original) The system of claim 9 wherein the GUI is configured to authorize electronic communication between the centralized facility and the device.

16. (Original) The system of claim 9 wherein a user selection of a modality causes a list of available software applications to be displayed on the GUI.

Zhang et al

S/N: 09/681,483

17. (Currently Amended) A computer data signal embodied in a carrier wave and representing a sequence of instructions which, when executed by at least one processor, causes the at least one processor to:

display a GUI configured to facilitate a request over a first communication interface to enable an inactive option resident on a remote device;

receive an input of a device identifier;

receive a selection of a usage period;

receive a selection of an inactive option for enablement from the GUI; [[and]]

cause a remote centralized processing station to generate a code configured to enable the selected inactive option after successful processing of the received inputs and selections[.]; and

transmit the code to the device having the inactive option over a second communication interface different from the first communication interface.

18. (Canceled).

19. (Original) The computer data signal of claim 17 wherein the code includes an alphanumeric software key.

20. (Original) The computer data signal of claim 17 wherein the device is a medical device including one of a cardiology device, a computed radiology device, a computed tomography device, a magnetic resonance imaging device, an x-ray device, an ultrasound device, a picture archiving and communication device, a nuclear medicine device, and a positron emission tomography device.

21. (Original) The computer data signal of claim 17 wherein the GUI is accessible via a public communication network and configured to permit communication between a user station and the centralized facility.

22. (Original) The computer data signal of claim 17 wherein the set of instructions further causes the at least one processor to receive an input of a user ID, a client ID, a system ID, a facility ID, and a selection of a device modality and a software package from the GUI.

Zhang et al

S/N: 09/681,483

23. (Currently Amended) The computer data signal of claim 17 wherein the GUI is configured to allow selection of one of a trial use period, a limited use period, a pay-per-use period, and an indefinite use period for the inactive option.

24. (Currently Amended) A GUI to request activation of an inactive software program resident in memory of a medical imaging scanner remotely located from a centralized processing center comprising:

- a device modality selector;
- a system identification field;
- a user identification field;
- a software program selector; and

a software key generation tab, whereupon user selection of the software key generation tab transmits a data transmission over a public communication connection to the centralized processing center, and wherein the data transmission represents a request to activate the inactive software program resident in memory of the medical imaging scanner over a private communication connection.

25. (Original) The GUI of claim 24 wherein the device modality selector includes a drop-down menu and is configured to display a listing of device modalities including computed tomography, x-ray, magnetic resonance, echocardiography, ultrasound, nuclear medicine, and positron emission tomography.

26. (Original) The GUI of claim 24 further comprising a period-of-use selector.

27. (Original) The GUI of claim 26 wherein the period-of-use selector includes a drop-down menu configured to display, in response to a user push-button instruction, a usage period including a trial period usage, a limited-use period usage, a pay-per-use period usage, and an indefinite period usage.

28. (Original) The GUI of claim 24 wherein the data transmission is configured to represent a request to activate more than one inactive software program resident in memory of the medical imaging scanner.

Zhang et al

S/N: 09/681,483

29. (Original) The GUI of claim 24 further comprising a generate-and-receive button, wherein a user selection of the generate-and-receive button creates the data transmission and represents an authorization to request generation of a software key at the centralized processing center and transmit the software key to the medical imaging scanner.

30. (New) The system of claim 9 wherein the computer of the centralized facility is further programmed to:

receive a user ID input; and

verify authorization of the user ID input to request enablement of the identified user selection.

31. (New) The computer data signal of claim 17 wherein the first communication interface is a public communication interface, and wherein the second communication interface is a private communication interface.